



A P P R O V A L S ®

## Certificate of Suitability

**Certificate No.:** SAA182258

**Certificate Holder:** Caledonian Cables Limited  
1/F CMA Building,  
64-66 Connaught Road,  
Central  
Hong Kong

**Class Description:** Non-Declared  
**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable  
**Brand Name:** CALEDONIAN  
**Model No.:** 1x630mm<sup>2</sup> CU/PVC V-90/ PVC 5V-90  
**Markings:** 0.6/1kV  
**Standard:** As/NZS 5000.1:2005 Inc A1  
**Conditions:** Nil

**Certification Mark:** SAA182258 or RCM

**Date First Registered:** 31 January 2019  
**Date of Expiry:** 31 January 2024

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/1



A P P R O V A L S ®

## Certificate of Suitability

\* Addendum \*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
1x25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x35mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x150mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x185mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x240mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x300mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x400 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x500 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
1x630 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x25 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x35 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x50 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x70 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/2



A P P R O V A L S ®

## Certificate of Suitability

\* Addendum \*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
2x95 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x120 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x150 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x185 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x240 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x300 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x400 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x25 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x35 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x50 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x70 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x95 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x120 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x150 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x185 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x240 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x300 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/3



A P P R O V A L S ®

## Certificate of Suitability

\* Addendum \*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
3x400 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x25 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x35 mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x150mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x185mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x240mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x300mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x400mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x35mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/4



A P P R O V A L S ®

## Certificate of Suitability

\* Addendum \*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
5x120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x150mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x185mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x240mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x300mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
5x400mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x25mm <sup>2</sup> +E6mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x35mm <sup>2</sup> +E10mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x50mm <sup>2</sup> +E16mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x70mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x95mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x120mm <sup>2</sup> +E35mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x150mm <sup>2</sup> +E50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x185mm <sup>2</sup> +E70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x240mm <sup>2</sup> +E95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x300mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
2x400mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/5



A P P R O V A L S ®

## Certificate of Suitability

\* Addendum \*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
3x25mm <sup>2</sup> +E6mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x35mm <sup>2</sup> +E10mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x50mm <sup>2</sup> +E16mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x70mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x95mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x120mm <sup>2</sup> +E35mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x150mm <sup>2</sup> +E50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x185mm <sup>2</sup> +E70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x240mm <sup>2</sup> +E95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x300mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
3x400mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x25mm <sup>2</sup> +E6mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x35mm <sup>2</sup> +E10mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x50mm <sup>2</sup> +E16mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x70mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x95mm <sup>2</sup> +E25mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x120mm <sup>2</sup> +E35mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/6



A P P R O V A L S ®

## Certificate of Suitability

\*Addendum\*

**Certificate No.:** SAA182258

**Date of Issue:** 31 January 2019

**Class Description:** Non-Declared

**Product Description:** 0.6/1KV PVC Insulated Sheathed Electric Cable

### Additional Models

Model No.	Description
4x150mm <sup>2</sup> +E50mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x185mm <sup>2</sup> +E70mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x240mm <sup>2</sup> +E95mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x300mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV
4x400mm <sup>2</sup> +E120mm <sup>2</sup> CU/PVC V-90/ PVC 5V-90	0.6/1kV

For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd certifies that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



Issued: 31-01-19 182258/7